


[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent &amp; Trademark Office

ACM DIGITAL LIBRARY



Try the *new* Portal design  
Give us your opinion after using it.

## Search Results

Search Results for: [("parent child") AND ("network management")]

Found 9 of 122,783 searched.

Search within Results

[> Advanced Search](#)[> Search Help/Tips](#)Sort by: [Title](#) [Publication](#) [Publication Date](#) [Score](#) [Binder](#)Results 1 - 9 of 9 [short listing](#)

- 1 [Modeling heterogeneous network traffic in wavelet domain](#) 80%  
 Sheng Ma , Chuanyi Ji  
**IEEE/ACM Transactions on Networking (TON)** October 2001  
 Volume 9 Issue 5  
 Heterogeneous network traffic possesses diverse statistical properties which include complex temporal correlation and non-Gaussian distributions. A challenge to modeling heterogeneous traffic is to develop a traffic model which can accurately characterize these statistical properties, which is computationally efficient, and which is feasible for analysis. This work develops wavelet traffic models for tackling these issues. In specific, we model the wavelet coefficients rather than the original t ...
- 2 [Network management with Nagios](#) 77%  
 Richard C. Harlan  
**Linux Journal** July 2003  
 Volume 2003 Issue 111  
 The servers are from many vendors, the management software budget is small and the demands are high. Find out how the team at John Deere made it work.
- 3 [Papers: Open signaling for ATM, internet and mobile networks \(OPENSIG'98\)](#) 77%  
 Andrew T. Campbell , Irene Katzela , Kazuho Miki , John Vicente  
**ACM SIGCOMM Computer Communication Review** January 1999  
 Volume 29 Issue 1  
 The ability to rapidly create and deploy new transport, control and management architectures in response to new service demands is a key factor driving the programmable networking community. Competition between service providers may hinge on the speed at which one provider can respond to new market demands over another. The notion of open programmable networks is having broad impact on service providers and vendors across a range of telecommunication sectors calling for major advances in open ne ...

- 4 A hierarchical multicast monitoring scheme 77%  
4 Joerg Walz , Brian Neil Levine  
**Proceedings of NGC 2000 on Networked group communication** November 2000  
Deployment of multicast routing services in corporate networks and Internet Service Providers is still tentative. Among other problems, there is a lack of monitoring and management tools and systems. Previous work in multicast management has failed to address the scalability problem present in multicast fault isolation and reporting. We propose a hierarchical, passive monitoring scheme, HPMM, that relies on a series of pre-deployed, self-organized monitoring daemons. With HPMM, fault message ...
- 5 Open Signaling for ATM, INTERNET and Mobile Networks (OPENSIG'98) 77%  
4 Andrew T. Campbell , Irene Katzela , Kazuho Miki , John Vicente  
**ACM SIGOPS Operating Systems Review** April 1999  
Volume 33 Issue 2  
The ability to rapidly create and deploy new transport, control and management architectures in response to new service demands is a key factor driving the programmable networking community. Competition between service providers may hinge on the speed at which one provider can respond to new market demands over another. The notion of open programmable networks is having broad impact on service providers and vendors across a range of telecommunication sectors calling for major advances in open ne ...
- 6 Hierarchically-organized, multihop mobile wireless networks for quality-of-service support 77%  
4 Ram Ramanathan , Martha Steenstrup  
**Mobile Networks and Applications** June 1998  
Volume 3 Issue 1  
MMWN is a modular system of adaptive link- and network-layer algorithms that provides a foundation on which to build mechanisms for quality-of-service provision in large, multihop mobile wireless networks. Such networks are a practical means for creating a communications infrastructure where none yet exists or where the previously existing infrastructure has been severely damaged. These networks provide communications for such diverse purposes as tactical maneuvering and strategic planning ...
- 7 Pacers: time-elastic objects 77%  
4 Steven H. Tang , Mark A. Linton  
**Proceedings of the 6th annual ACM symposium on User interface software and technology** December 1993
- 8 Evolution of data modeling for databases 77%  
4 Shamkant B. Navathe  
**Communications of the ACM** September 1992  
Volume 35 Issue 9
- 9 A framework for dynamic graph drawing 77%  
4 R. F. Cohen , G. Di Battista , R. Tamassia , I. G. Tollis , P. Bertolazzi  
**Proceedings of the eighth annual symposium on Computational geometry** July 1992  
In this paper we give a model for dynamic graph algorithms, based on performing queries and updates on an implicit representation of the drawing. We present dynamic algorithms for

drawing planar graphs that use a variety of drawing standards (such as polyline, straight-line, orthogonal, grid, upward, and visibility drawings), and address aesthetic criteria that are important for readability, such as the display of planarity, symmetry, and reachability. Also, we provide techniques that are e ...

---

Results 1 - 9 of 9     [short listing](#)

---

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.